

WEST Search History

DATE: Sunday, February 17, 2008

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L33	L31 and ACPI	20
<input type="checkbox"/>	L32	L31 and (parameter\$1 with buffer\$1)	6
<input type="checkbox"/>	L31	L30 and (aml or (machine adj language\$1))	276
<input type="checkbox"/>	L30	(SMBus or bus or (system adj3 bus)) with event\$1	13511
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L29	L28 and (parameter\$1 with buffer\$1)	12
<input type="checkbox"/>	L28	L27 and (event\$1 near3 (handl\$ or notif\$))	292
<input type="checkbox"/>	L27	L22 AND (AML or ACPI)	1500
<input type="checkbox"/>	L26	L24 and (aml or (machine adj language\$1))	3
<input type="checkbox"/>	L25	L24 and (ACPI)	16
<input type="checkbox"/>	L24	L23 and (SMBus or (system adj3 bus)) with event\$1	168
<input type="checkbox"/>	L23	L22 and (event\$1 near3 (handl\$ or notif\$))	17805
<input type="checkbox"/>	L22	719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 710/\$.CCLS. OR 709/\$.CCLS. OR 713/\$.CCLS. or 714/\$.ccls. 719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 715/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 705/\$.ccls.	305673
<input type="checkbox"/>	L21	L18 and (AML or ACPI)	16
<input type="checkbox"/>	L20	L19 not l17	26
<input type="checkbox"/>	L19	L18 and (SMBus or (system adj3 bus)) with event\$1	26
<input type="checkbox"/>	L18	(710/100,110)! [CCLS]	2364
<input type="checkbox"/>	L17	L16 not l15	20
<input type="checkbox"/>	L16	L10 and (AML or ACPI)	22
<input type="checkbox"/>	L15	L14 not l12	40
<input type="checkbox"/>	L14	L10 and (parameter\$1 with buffer\$1)	48
<input type="checkbox"/>	L13	L10 and (three adj parameter adj buffer\$1)	1
<input type="checkbox"/>	L12	L11 not l6	37
<input type="checkbox"/>	L11	L10 and (((system adj3 bus) or MSBus or bus) near3 event\$1)	38
<input type="checkbox"/>	L10	L9 and (event\$1 near3 (handl\$ or notif\$))	894
<input type="checkbox"/>	L9	(719/310,318,319,320,321,322,327)! [CCLS]	3233
<input type="checkbox"/>	L8	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and ACPI).clm.	0
<input type="checkbox"/>	L7	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and Aml).clm.	1
<input type="checkbox"/>	L6	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and read\$).clm.	37

<input type="checkbox"/>	L5	((SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and buffer\$1 and read\$.clm.	1
<input type="checkbox"/>	L4	((SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and three and buffer\$1 and read\$.clm.	1
<input type="checkbox"/>	L3	((((machine adj language) or AML) and (SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and three and buffer\$1 and read\$.clm.	1
<input type="checkbox"/>	L2	(AML and SMBus and ACPI\$1).clm.	0
<input type="checkbox"/>	L1	(SMBus and notification\$1).clm.	1

END OF SEARCH HISTORY

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

ACPI and MSBUS

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

WebResults 1 - 2 of 2 for **ACPI and MSBUS**. (0.15 seconds)Did you mean: [ACPI](#) and ***MS BUS*****ConfigTool 1.3.0 database - DEVICES**

MSBUS\$ for Microsoft Bus-Mouse, Driver: NONE The reason for it is that HLT corresponds to **ACPI** "C1" level of CPU operation (CPU still connected to ...
www.os2world.com/goran/cfgtool/cfgdat06.htm - 216k - [Cached](#) - [Similar pages](#)

The Config.sys Documentation Project/DEVICE Statements - EDM2

TIP: When OS/2 fails to install in **ACPI** only Systems REM this driver (has to be done on the SYS; **MSBUS\$** for Microsoft Bus-Mouse, Driver: NONE ...
www.edm2.com/index.php/The_Config.sys_Documentation_Project/DEVICE_Statements - 567k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [ACPI](#) and ***MS BUS***

ACPI and MSBUS[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

AML and MSBUS

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web

Results 1 - 8 of 8 for **AML and MSBUS**. (0.22 seconds)

Did you mean: [AML and **MS BUS**](#)

[ProductDetails](#)

west.thomson.com/store/databasesincluded.aspx?product_id=40307659 - 250k -
[Cached](#) - [Similar pages](#)

[\[PDF\] • A; AGENDA Orange County Government • Board of County ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

MSBUS. 2. Falcon. Trace. Area-Falcon. Trace. Unit. 8,. amend. for. streetlighting,.
District. 4 3. Andover. Cay. Phases ...
orangecountyfl.net/eAgenda/archive/Agenda_04-08-03/Agenda_04-08-03.pdf -
[Similar pages](#)

[p*p*p**/G/GBBBB***@A C ÉBK**BERLIN 3739 LQUUKOYPUahYD<?IRS ...](#)

File Format: Unrecognized

MSBUS<E

[PSIC7DGEOSXHFH7AFRENCOO@EUK>A=HGBFDPNLIGKCPNUXSF6BGOJEUVPY
[OG5ANBLA=BF@ NNK>HD<8LRe\ST<MOFZ<GSI>**AML**]Tf LOE@GRMO_BB
[JHUPKFD7FWT@FFJOUILHFH ...
emlab.rose2.brandeis.edu/grigorieff/downloads/b3739.pic - [Similar pages](#)

[Näherungsweise Berechnung der Zustände in Wasserspeichern mit ...](#)

Vergr6Bert (bzw. verkleinert) man mL0 um **Aml**, o (bzw. – AmLO), so folgt der
Luftpartialdruck [25] **MSbus**, W.: Eine schwere Speieherlokomotive,. Ver- ...
[www.springerlink.com/index/X828L42184512QG8.pdf](#) - [Similar pages](#)

[MIME-Version: 1.0 Content-Type: multipart/related; boundary ...](#)

MIME-Version: 1.0 Content-Type: multipart/related; boundary="—

=_NextPart_01C5FFE2.AD83E080" This document is a Single File Web Page, also
known as a Web ...

[www.isahu.com/.../Session5/](#)

StateEffortsToImproveHealthCareQuality_ChuckMilligan.mht - 250k -

[Cached](#) - [Similar pages](#)

[\[GZIP\] SIMPLE = T / Written by IDL: Thu Apr 11 10:08:38 2002 BITPIX = 16 ...](#)

File Format: Gzip Archive - [View as HTML](#)

SIMPLE = T / Written by IDL: Thu Apr 11 10:08:38 2002 BITPIX = 16 /Integer*2

(short integer) NAXIS = 2 / NAXIS1 = 768 / X Size of image NAXIS2 = 768 / Y ...

[sohowwww.nascom.nasa.gov/data/synoptic/](#)

[fits/020408/trac_WL_____a1_20020408_051302.fts.gz](#) - [Similar pages](#)

[and c cause \\$100-a-plate dinner &c 'Abo 'Alborg 'Alesund 'Angstr ...](#)

and c cause \$100-a-plate dinner &c 'Abo 'Alborg 'Alesund 'Angstr 'Arhus 'Arriet 'Arry
'Arryish 'Tis Pity She's a Whore 'arry 'cello 'd 'em 'epatant 'etag ...

[www.puzzlers.org/pub/wordlists/allwords.txt](#) - 250k - [Cached](#) - [Similar pages](#)

[SIMPLE = T BITPIX = 16 NAXIS = 2 NAXIS1 = 512 NAXIS2 = 512 EXPOSE ...- \[Translate this page \]](#)

SIMPLE = T BITPIX = 16 NAXIS = 2 NAXIS1 = 512 NAXIS2 = 512 EXPOSE =

120000 DATE-OBS= '04/02/102' TIME-OBS= '04:22:31' ORIGIN = 'PMIS Image

Processing ...

[www.cora.nwra.com/~biff/OHdata/2002/20204/02040422.l31](#) - 250k -

[Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 8 already displayed.
If you like, you can [repeat the search with the omitted results included](#).*

Did you mean to search for: [AML and **MS BUS**](#)

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 76,400 for **AML and event and buffer and parameter**. (0.28 seconds)

[SMBus notifications - Patent EP1347380](#)

The system of claim 4, where the **AML event** handler employs a three **parameter buffer** access read method to read data from an operation region associated with ...
[www.freepatentsonline.com/EP1347380.html](#) - 58k - [Cached](#) - [Similar pages](#)

[EP1347380 Microsoft european software patent - Smbus notifications ...](#)

The example three **parameter buffer** write methods 280 facilitate the **AML event** handler 210 accessing the SMBus via the **buffer** 260. ...
[gauss.ffii.org/PatentView/EP1347380](#) - 65k - [Cached](#) - [Similar pages](#)

[Notebook Hardware Control \(NHC\) - Advanced information](#)

Buffer in the source language file (ASL) ACPI Source Language (ASL) DefinitionBlock ("DSDT.aml", "DSDT", 1, "INTEL ", "ALVISO ", 100925440) ...
[www.pbuc-167.com/nhc/nhc_advanced.htm](#) - 80k - [Cached](#) - [Similar pages](#)

[\[PPT\] The Automated Planning and Scheduling ENvironment \(ASPEN ...](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
These include the SSR **buffers**, the S and K band inview/outview times, playback lockout times, and the day/night **events**. Separate **parameters** are used to ...
[aaaproduct.gsfc.nasa.gov/teas/ASPENEA.ppt](#) - [Similar pages](#)

[ACPI for 2.6.11 \[LWN.net\]](#)

Fixed a problem with the Mid() ASL/AML operator where it did not work correctly on **Buffer** objects. Newly created sub-**buffers** were not being marked as ...
[lwn.net/Articles/121359/](#) - 19k - [Cached](#) - [Similar pages](#)

[\[PDF\] arXiv:hep-ex ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
buffer would get disassembled into individual **events**, which got injected into the pool, fore the use of the **AML**, **buffers** to be written out ...
[arxiv.org/pdf/hep-ex/0305103](#) - [Similar pages](#)

[European Journal of Cancer : A possible role for methotrexate in ...](#)

Childhood acute myeloid leukaemia (**AML**) has an **event**-free survival (EFS) of 25–50% ... This anion-free **buffer** has been designed to measure maximal reduced ...
[linkinghub.elsevier.com/retrieve/pii/S0959804900004330](#) - [Similar pages](#)

[\[doc\] ACPI Driver Interface in Windows Vista](#)

File Format: Microsoft Word - [View as HTML](#)
Control methods are written in the ACPI Machine Language (**AML**) and are ... The **buffer** size is stored in the OutBufferSize field of the IRP context. ...
[download.microsoft.com/download/0/0/b/00bba048-35e6-4e5b-a3dc-36da83cbb0d1/ACPIDriver_Vista.doc](#) - [Similar pages](#)

[Blackwell Synergy - Br J Haematol, Volume 119 Issue 4 Page 988-990 ...](#)

We showed in this study that promoter methylation of CEBPA was an infrequent **event** in **AML** and appeared to be restricted to the M2 subtype. ...
[www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2141.2002.03952.x](#) - [Similar pages](#)

[A structural framework for modeling multi-stage network attacks ...](#)

buffer overflow exploit to execute arbitrary code. As a direct Attacks in the **AML** have **parameters** that specify the context in which the attack takes ...
[ieeexplore.ieee.org/iel5/8062/22290/01039705.pdf](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

[Sign in](#)

Google

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 76,400 for **AML and event and buffer and parameter**. (0.13 seconds)

Volinia,S

An independent set of 60 untreated **AML** patients was used to validate the ... in hybridization **buffer** positively affected hybridization **parameters** and ...
[lib.bioinfo.pl/auth:Volinia,S - 54k - Cached - Similar pages](#)

Matrox Imaging Library - Free Downloads

Features: live video display: set **parameters**, scroll and zoom, graphics overlay, ring **buffer**, video codec support, trigger support and supports multiple ...
[matrox-imaging-library.safe-install.com/ - 20k - Cached - Similar pages](#)

Predictive values of X-chromosome inactivation patterns and ...

Hypertension was significantly correlated with thrombotic **events** ($P = .002$), ET can evolve into acute myeloid leukemia (**AML**) or myelofibrosis.25,26 ...
[www.bloodjournal.org/cgi/content/full/100/5/1596 - Similar pages](#)

A long list of non-paged pool reference IDs which is handy when ...

Aml* - - ACPI AMLI Pooltags APIC - pnpapic.sys - I/O APIC Driver KSpp - - irp system **buffer** property/method/**event parameter** ...
[blog.tiensivu.com/aaron/archives/10-A-long-list-of-non-paged-pool-reference-IDs-which-is-handy-when-searc... - 124k - Cached - Similar pages](#)

System and method for loading an advanced configuration and power ...

An ACPI Driver/ACPI Machine Language (**AML**) interpreter 118 is responsible for the parsing and ... loaded from an input **buffer**, or some combination thereof. ...
[www.patentstorm.us/patents/7007160-description.html - 37k - Cached - Similar pages](#)

New ACPI source release (20010201)

3) Output the **AML** in raw hex table form, in either C or ASM. Implemented support for optional string **parameters** to the LoadTable operator. ...
[lwn.net/2002/0207/a/acpi.php3 - 9k - Cached - Similar pages](#)

[PDF] Using UML for Automatic Test Generation

File Format: PDF/Adobe Acrobat - [View as HTML](#)
is a list of variables in which the received **parameters** are stored, **buffer** the. name of the **buffer** from which the **event** will be read. ...
[web.comlab.ox.ac.uk/oucl/research/areas/softeng/TACAS2002.pdf - Similar pages](#)

plus **parameter** name with and value if appropriate

FB The frame **buffer** device is enabled. HW Appropriate hardware is enabled. ... force serialization of **AML** methods `acpi_skip_timer_override` [HW,ACPI] ...
[stanton-finley.net/kernel-parameters.txt - 45k - Cached - Similar pages](#)

British Journal of Haematology - Fulltext: Volume 114(2) August ...

The 50 µl PCR reaction mix contained 5 µl of 10x PCR **buffer**, 4-5 mmol/l MgCl₂, ... The scatter diagram illustrates WT1 mRNA expression levels of **AML**, ALL, ...
[pt.wkhealth.com/pt/re/bjha/fulltext.00002328-200108020-00010.htm - Similar pages](#)

Oncogene - Stem cells, aging, and cancer: inevitabilities and outcomes

Studies of human **AML** have begun to define the genetic alterations and respect to key **parameters** of early hematopoietic cells (Van Zant et al., 1983). ...
[www.nature.com/onc/journal/v23/n43/full/1207949a.html - Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)

[Next](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 76,400 for **AML and event and buffer and parameter**. (0.09 seconds)

Membrane Structure: Spin Labeling and Freeze Etching of Mycoplasma ...

aml)hiphilic. molecules perpendicular. to. the membrane surface.8 physical **parameters** than those in. most. of the membrane. The freeze-etch ...
www.pnas.org/cgi/reprint/66/3/909.pdf - [Similar pages](#)

Reactivity of Platelets from Healthy Individuals and from Patients ...

was diluted 1:10 with phosphate **buffer** containing gly-. cine (without glyoxal or p-formaldehyde). ... there were 95% of all GP1b-positive **events**. All **events** ...
content.karger.com/ProdukteDB/produkte.asp?Aktion=ShowPDF&ProduktNr=224034&Ausgabe=225871&Art... - [Similar pages](#)

Waterlogged Area Analysis with ArcInfo

An ARC Macro Language (**AML**) script integrated the thematic maps based on criteria defined for all six **parameters**. The composite map, derived using this **AML**, ...

www.esri.com/news/arcuser/1001/roorkee.html - 16k - [Cached](#) - [Similar pages](#)

fxr.watson.org: sys/Documentation/kernel-parameters.txt

575 576 specialix= [HW,SERIAL] Specialix multi-serial port adapter. 577 578 sscape= [HW,SOUND] 579 580 st= [HW,SCSI] SCSI tape **parameters** (**buffers**, etc.). ...
fxr.watson.org/fxr/source/Documentation/kernel-parameters.txt?v=linux-2.4.22 - 86k - [Cached](#) - [Similar pages](#)

E-Cadherin Expression Is Silenced by 5' CpG Island Methylation in ...

In this report, we found that aberrant methylation of the E-cadherin promoter is a frequent **event** in both **AML** and ALL. We used a nested-MSP approach that ...
clincancerres.aacrjournals.org/cgi/content/full/6/11/4243 - [Similar pages](#)

Molecular emergence of acute myeloid leukemia during treatment for ...

One is that the topoisomerase II inhibitors directly caused the translocation **event**. That 70% of t-**AML** cases associated with the use of topoisomerase II ...
www.pubmedcentral.nih.gov/articlerender.fcgi?artid=56962 - [Similar pages](#)

rem rem Pooltag.txt rem rem This file lists the tags used for pool ...

afd.sys - AFD objects AfdA - afd.sys - Afd EA **buffer** AfdB - afd.sys - Afd **event** deletion dpc KSep - <unknown> - irp system **buffer event parameter** KSeW ...
filedb.experts-exchange.com/incoming/2008/01_w04/1250/pooltag.txt - 98k - [Cached](#) - [Similar pages](#)

Windows NT Kernel memory pool tags

Aml*, ACPI AMLI Pooltags. AoE*, aoebus.sys, ATA over Ethernet driver KSpP, irp system **buffer** property/method/**event parameter** ...
alter.org.ua/en/docs/win/pooltag/ - 209k - [Cached](#) - [Similar pages](#)

Module Name: exoparg3 - AML execution - opcodes with 3 arguments ...

In the * **event** Licensee exports any such software from the United States or The Source operand is guaranteed to be * either a String or a **Buffer**, ...
www.slickbsd.org/fr/logiciel/cdrom/binary/usr/src/sys/dev/acpi/acpica/Subsystem/exoparg3.c - 13k - [Cached](#) - [Similar pages](#)

GIS, CAD, and mapping daily news provided by Spatial News

ARC/INFO is highly automatable through **AML**. Even though the processing time is orders of ... Get the coordinates for the quad box and add a 100-meter **buffer** ...
spatialnews.geocomm.com/education/tutorials/drgprocessing1/ - 40k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

[Sign in](#)

Google

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 31 - 40 of about 76,400 for **AML and event and buffer and parameter**. (0.28 seconds)

[\[PDF\] SMBus-Driver External Arch.doc](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

resident in **AML** on the platform perform the actual interfacing with the SMBus

required length of the input **buffer**. lrp->**Parameters**.DeviceIoControl. ...

smbus.org/specs/smbus_driver_ext_arch10.pdf - [Similar pages](#)

[ACPI-to-HID Mapper Driver: Standardizing the Connection Between ...](#)

This **AML** code can contain subroutines, called ACPI control methods, ... to ensure they agree on the names and **parameters** of the ACPI control methods. ...

www.intel.com/technology/magazine/computing/ACPI-to-HID-1006.htm - 51k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Flt3 receptor tyrosine kinase in AML and its modulation of the p53 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

one induction cycle is a favorable prognostic **parameter**. and is associated with

decreased risk of later **AML** relapse. [1,2]. Induction therapy causes rapid ...

https://bora.uib.no/bitstream/1956/2453/1/Dr_%20Avh_%20Line_Wergeland.pdf -

[Similar pages](#)

[\(WO/2005/045432\) METHOD FOR DISTINGUISHING PROGNOSTICALLY ...](#)

In contrast, in **AML**-NK prognostication may at present be accomplished best by using phenotypic and treatment-dependent **parameters** like burden of disease at ...

www.wipo.int/pctdb/en/wo.jsp?IA=EP2004012367&DISPLAY=DESC - 113k -

[Cached](#) - [Similar pages](#)

[Actimize Signs Akbank - Security News Wire - Dark Reading](#)

Sep 17, 2007 ... LIVE EVENT: Docsis 3.0 Strategies: From Product ... The Actimize

Anti-Money Laundering suite provides complete end-to-end compliance ...

www.darkreading.com/document.asp?doc_id=134092 - 135k -

[Cached](#) - [Similar pages](#)

[The t\(8;21\) Fusion Protein Interferes with AML-1B-Dependent ...](#)

following **parameters**: 94 C for 1.5 min, 50 C for 2 min, and 72 C for 3 min for ...

buffer prior to immunoprecipitation with the anti-**AML**-1 serum. ...

mcb.asm.org/cgi/reprint/15/4/1974.pdf - [Similar pages](#)

[THE DESIGN AND EVALUATION OF THE ARRAY MACHINE: A HIGH-LEVEL ...](#)

is convenient to set the **buffer** length, a machine parameter, to a multiple of the IM

interleaving, also a machine **parameter**. ...

portal.acm.org/citation.cfm?doid=641675.642110 - [Similar pages](#)

[Phase I Study of Oblimersen Sodium, an Antisense to Bcl-2, in ...](#)

Acute myeloid leukemia (**AML**) is characterized by maturation arrest and After

addition of 200 µL of lysis **buffer** (10 mmol/L Tris-HCl, pH 8.0; ...

www.jco.org/cgi/content/full/23/15/3404 - [Similar pages](#)

[A Xenopus homologue of aml-1 reveals unexpected patterning ...](#)

sodium phosphate **buffer** (pH 6.3). The color reaction was performed a

parameter that was not appreciated in previous studies. The ...

dev.biologists.org/cgi/reprint/125/8/1371.pdf - [Similar pages](#)

[Leukemia Research : Ribosomal p70S6K basal activity increases upon ...](#)

Similar results were obtained with **AML**-14.3D10 and with dHL-60 (not shown). Thus,

the **events** observed in p70S6K for the two different stages of maturation ...

linkinghub.elsevier.com/retrieve/pii/S0145212603004077 - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 11 12 13

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

[Sign in](#)

Google

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **41 - 50** of about **76,400** for **AML and event and buffer and parameter**. (0.11 seconds)

ArtistX - eXtra ordinary art tools - ArtistX BOOT Parameters

acpi_serialize [HW,ACPI] force serialization of **AML** methods
acpi_skip_timer_override [HW,ACPI] st= [HW,SCSI] SCSI tape **parameters**
(**buffers**, etc.) ...
www.artistx.org/site/artistx-dvd/artistx-boot-parameters.html - 82k -
Cached - [Similar pages](#)

Linux Headquarters - Kernel v2.6.18 /Documentation/kernel ...

diff -git a/Documentation/kernel-parameters.txt ... [HW,ACPI] empty param disables
_OSI acpi_serialize [HW,ACPI] force serialization of **AML** methods @@ -176 ...
www.linuxhq.com/kernel/v2.6/18/Documentation/kernel-parameters.txt -
[Similar pages](#)

Linux Kernel Documentation :: kernel-parameters.txt

1942 Some badly-designed motherboards generate lots of 1943 bogus **events**, for
ports that aren't wired to 1944 anything. Set this **parameter** to avoid log ...
www.mjmwired.net/kernel/Documentation/kernel-parameters.txt - 199k -
Cached - [Similar pages](#)

An event-based, robot-served flexible manufacturing cell modeller

AML require the user to write a set of complex source. programs in English-like
statements. This **event**-oriented. method, however, requires the user to ...
www.springerlink.com/index/NT50043702RX8822.pdf - [Similar pages](#)

Summary of changes from v2.6.8 to v2.6.9 ...

Improved the **AML** debugger output for displaying the GPE blocks and their
current Remove backoff **parameter**. The reason it was once introduced is gone.
...
www.kernel.org/pub/linux/kernel/v2.6/ChangeLog-2.6.9 - 977k -
Cached - [Similar pages](#)

Blackwell Synergy - Eur J Haematol, Volume 76 Issue 1 Page 23-32 ...

The distribution of hypermethylation **events** in early (RA and RARS) vs. advanced
(RAEB, RAEB-t, and MDS/**AML**) MDS is shown in Fig. 2. For all four genes, ...
www.blackwell-synergy.com/doi/abs/10.1111/j.1600-0609.2005.00559.x -
[Similar pages](#)

CARES - Papers - Economic and Environmental Impact Assessment ...

For example, if the end user decides to place a 100 foot riparian **buffer** strip on crop
production along a stream, a number of input **parameters** need to be ...
www.cares.missouri.edu/about/presentations/hicss-32/index.html - 65k -
Cached - [Similar pages](#)

(PDF) XCP on FlexRay

File Format: PDF/Adobe Acrobat
An LPDU_ID **parameter** of a specific **buffer** can be non-configurable. The XCP on
FlexRay There are no specific **events** for XCP on FlexRay at the moment. ...
www.asam.net/doc_int/getfile/getfile.php?id=376&memberlogin= - [Similar pages](#)

1996;14;725-729 Stem Cells I. Anagnostopoulos, Vasiliki Grigoraki ...

with **AML** and one of the four cases (25%) with CML. ... pathological **parameters**
such as favorable prog- ... the ras family genes is a frequent **event**, and ...
stemcells.alphamedpress.org/cgi/reprint/14/6/725.pdf - [Similar pages](#)

British Journal of Haematology - Fulltext: Volume 100(1) January ...

In **AML**, MDR mechanisms are heterogenous and have been linked with the ... and
hepes **buffer** (both from Sigma) and rested at 37 degrees C for 90 min. ...
pt.wkhealth.com/pt/re/bjha/fulltext.00002328-199801000-00029.htm - [Similar pages](#)

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

AML and event and buffer and parameter

Search

Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 51 - 60 of about 76,400 for **AML and event and buffer and parameter**. (0.09 seconds)

Role of Folypolyglutamate Synthetase and Folypolyglutamate ...

Patient Characteristics and MTX Polyglutamylation **Parameters** in **AML**

Subgroups ... length 12.5 cm, particle size 5 µm) running 4 minutes with 98% **buffer**

A ...

www.bloodjournal.org/cgi/content/full/93/5/1677 - [Similar pages](#)

[PDF] **BMT CTN Protocol 0303, AML T cell Depletion**

File Format: PDF/Adobe Acrobat

Human Serum Albumin (HSA) (CliniMACS **buffer**) and stored in a monitored

Supportive care **parameters** standardized for this protocol are detailed below. ...

https://web.emmes.com/study/bmt/protocol/0303_protocol/0303_Protocol_v_7.0.pdf -

[Similar pages](#)

[PDF] **AML 15**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

mg (2 mg/ml) with saline and a **buffer** of sodium acetate and acetic acid.

Pharmacokinetic **parameters** for intravenous (iv) CEP-701 are similar in rats ...

www.download.bham.ac.uk/bctu/AML15/AML15%20Protocol%20Version%206.pdf -

[Similar pages](#)

Leukemia - Quantification and cytokine production of circulating ...

Experimental studies of the mechanisms of immune tolerance to **AML** have led to

novel Comparing one-**parameter** histogram plots for each cell subset, ...

www.nature.com/leu/journal/v17/n4/full/2402835a.html - [Similar pages](#)

Comparative proteomic analysis of hypoxia-treated and untreated ...

entiation of human **AML** cells via hypoxia-inducible factor 1. alpha (HIF-1α) protein,

... 250 mM sucrose, pH 7.0), and dissolved in lysis **buffer** con- ...

doi.wiley.com/10.1002/pmic.200500754 - [Similar pages](#)

Suffield Approve RESOLUTION

The Applicant shall plant a forested **buffer** serving as a visual screen as ... with the

Health Department to determine basic design **parameters** such as flows. ...

fauquiercounty.gov/government/departments/BOS/pastagendas/05-20-

02/suffieldresapprove.htm - 43k - [Cached](#) - [Similar pages](#)

Method for distinguishing **AML** subtypes with aberrant and ...

Median **event**-free survival (EFS) was 3.1 months and median overall survival (OS)

was 20.7 months. The clinical **parameters** age, WBC count, hemoglobin level, ...

www.freepatentsonline.com/EP1530046.html - 79k - [Cached](#) - [Similar pages](#)

JSTOR: Protein-Solvent Preferential Interactions, Protein ...

Therefore, molecularly, (amL/amP)IL has contributions of both cosolvent and

water ... The **parameters** BL and Bw are not thermodynamic quantities (14), ...

links.jstor.org/sici?sici=0027-8424(20020723)99%3A15%3C9721%3APPPIPHA%

3E2.0.CO%3B2-0 - [Similar pages](#)

Offline Shifter Guidelines & Reference Cards

Buffer boxes and HPSS: The free space is shown on the upper right display

Check the **aml** status (lower left display of the 4 displays on top of the daq ...

www.phenix.bnl.gov/WWW/run/04/shift_offl/index.html - 45k - [Cached](#) - [Similar pages](#)

Mixed Analog-Digital Simulation

existing workstations through the novel **AML**. Areas for future enhancements include

automatic. cell-model verification. and **parameter** extraction, ...

doi.ieeecomputersociety.org/10.1109/40.57729 - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

[Sign in](#)

[Google](#)

AML and event and buffer and parameter

[Advanced Search](#)
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **61 - 70** of about **76,400** for **AML and event and buffer and parameter**. (0.06 seconds)

[Smad and AML Proteins Synergistically Confer Transforming Growth ...](#)

In Vivo **AML**/Smad Binding Assay—Fifteen hours after transfection, K562 or DG75 cells were lysed in 1 ml of lysis **buffer** (50 mM Tris-HCl, pH 8, 150 mM ...
[www.jbc.org/cgi/reprint/275/5/3552.pdf](#) - [Similar pages](#)

[Natural Killer Cell Precursor Acute Lymphoma/Leukemia Presenting ...](#)

Antigen retrieval by microwave procedure in citric acid **buffer** (10 mM, pH 6.0) for 10 ... CD56 expression has been reported in approximately 20% of **AML**, ...
[arpa.allenpress.com/arpaonline/?request=get-document&doi=10.1043%2F0003-9985\(2001\)125%3C0413:NKCPAL%3... - Similar pages](#)

[Linux-2.6.17/drivers/acpi/hotkey.c](#)

... **event** or polling based hotkey */ 105 int hotkey_standard_num;
..... /proc/acpi/action 934 * Just support 1 integer arg passing to **AML** method 935 */
936 ...
[www.gelato.unsw.edu.au/lxr/source/drivers/acpi/hotkey.c](#) - 151k -
Cached - [Similar pages](#)

[1475-2867-5-21 1475-2867 Primary research Functional and ...](#)

Cells were washed with PBS, resuspended in 400 µl of binding **buffer** (10 mM Hepes/NaOH, ... These included **AML**-2 an acute myelogenous leukemia cell line, ...
[www.biomedcentral.com/content/download/xml/1475-2867-5-21.xml](#) - 105k -
Cached - [Similar pages](#)

[LKML: "Brown, Len": git pull request on Linux/ACPI release tree](#)

This code is shared by both the Resource Manager and the **AML** Debugger. ... CPU stack use has been decreased by optimizing function **parameters** and local ...
[lkml.org/lkml/2006/1/24/281](#) - 54k - [Cached](#) - [Similar pages](#)

[University of Chicago Press - Mapping of Valvular Dystrophy to ...](#)

Since incorrect **parameters** for linkage analysis may give false results, positive LOD ... it was of interest to check whether a single mutation **event**—namely, ...
[www.journals.uchicago.edu/cgi-bin/resolve?9497244](#) - [Similar pages](#)

[\[PS\] The Data Access Layer for D0 Run II: Design and Features of SAM](#)

File Format: Adobe PostScript - [View as Text](#)
including a detailed **event** catalog for raw detector data, and other selected data files, and storage. of **parameter** files 3) data-query-driven data file ...
[home.fnal.gov/~veseli/Publications/Proceedings/CHep_00/chep_00.ps](#) -
[Similar pages](#)

[E-Cadherin Expression Is Silenced by 5 CpG Island Methylation in ...](#)

lysates were prepared from cultured cells using lysis **buffer** (1 ... E-cadherin promoter is a frequent **event** in both **AML** and ALL. ...
[clincancerres.aacrjournals.org/cgi/reprint/6/11/4243.pdf](#) - [Similar pages](#)

[Mayo Clinic Proceedings](#)

On univariate analysis, **parameters** at diagnosis that were associated with ... Median time to **AML** transformation was 13.8 years, and median time to MMM was ...
[www.mayoclinicproceedings.com/inside.asp?AID=1629&UID=](#) - 68k -
[Cached](#) - [Similar pages](#)

[Survivin and its prognostic significance in pediatric acute B-cell ...](#)

All samples were stored briefly in this lysis **buffer** before analysis. ... In children with **AML** high survivin levels, assessed by western blot analysis, ...
[www.haematologica.org/cgi/content/full/92/8/1043](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Sign in](#)

Google

AML and event and buffer and parameter

Search

[Advanced Search](#)
[Preferences](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 71 - 80 of about 76,400 for **AML and event and buffer and parameter**. (0.06 seconds)

4.2 Extended Configuration

8388608. Maximum shared memory segment size (will allow up to a 2MB Mover **buffer** size) HPSS can share an **AML** robot with other tape management systems. ...

www.hpss-collaboration.org/hpss/administrators/docs/HTML/rel5.1.0/management_guide/management-15.html - 52k -

[Cached](#) - [Similar pages](#)

[PDF] 483-04 B5.doc

File Format: PDF/Adobe Acrobat - [View as HTML](#)

phosphate **buffer** gradient elution system (**buffer** A, 150 mM KH ... In our experiments, we used three human acute myelogenous leukemia (**AML**) ...

www.cmbi.org.pl/pdf/Vol10_p217.pdf - [Similar pages](#)

Anti-Cancer Drugs - Fulltext: Volume 18(3) March 2007 p 323-332 ...

The negative exponential dose-response survival curves are drawn by linear regression and may be described by a single slope **parameter** (ID 50 value).**AML** ...

www.anti-cancerdrugs.com/pt/re/anticd/fulltext.00001813-200703000-00013.htm;jsessionid=FQQD3LKQh9W4vml6tf... - [Similar pages](#)

AJHG - Mapping of X-Linked Myxomatous Valvular Dystrophy to ...

1.8±0.4 mm, for PML; P<.0001), longer **AML** and PML (28.1±2.4 mm vs. ... Since incorrect **parameters** for linkage analysis may give false results, positive LOD ...

[www.ajhg.org/AJHG/fulltext/S0002-9297\(07\)63843-9](http://www.ajhg.org/AJHG/fulltext/S0002-9297(07)63843-9) - 73k - [Cached](#) - [Similar pages](#)

CREATELLHATCH.AML: A PROGRAM FOR CREATING ANNOTATED LATITUDE AND ...

This program runs completely within **AML** and is designed to be system independent.

..... &s latlong_pts_buffered [scratchname-directory] **buffer** ...

gis.esri.com/library/userconf/proc98/proceed/TO300/PAP296/P296.HTM - 54k -

[Cached](#) - [Similar pages](#)

Cancer Cell International | Full text | Functional and structural ...

After incubation, cells were washed with binding **buffer** and exposed to 1 µg of PI in a These included **AML**-2 an acute myelogenous leukemia cell line, ...

www.cancerci.com/content/5/1/21 - 92k - [Cached](#) - [Similar pages](#)

[PDF] C 3: T K : D , ,

File Format: PDF/Adobe Acrobat - [View as HTML](#)

All **parameters** controlling the triggering can be changed easily within. the software.

Once a trigger is declared, data (along with a pre-event **buffer**) is ...

www.sci.sdsu.edu/~rmellors/pubs/Thesis_Chapter%203.pdf.gz - [Similar pages](#)

Maine Geographic Information System

AML includes an extensive set of commands that can be used interactively or in ...

The resulting **buffer** zones form polygons-areas that are either inside or ...

apollo.ogis.state.me.us/education/glossary.asp?fs=tin - 89k - [Cached](#) - [Similar pages](#)

[PPT] ACPI 3.0: Supporting Advanced Platform Configuration and Power ...

File Format: Microsoft Powerpoint - [View as HTML](#)

Provides device configuration **parameters** for a static or hot plugged PCI device ...

Buffer and string support clarified - not just integers ...

www.acpi.info/presentations/MOBS005_Fall04_IDF_ACPI_Course.ppt -

[Similar pages](#)

[PDF] *Department of Biology, Eritrea Institute of Technology, Mainefhi ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

parameters as sensed by comet assay could ... in the **buffer** for 20 min to allow unwinding of Investigating the. apoptotic **events** in MDS and **AML** may ...

indjst.org/New%20Folder/mds.pdf - [Similar pages](#)